

# PARALLEL COORDINATES : *VISUAL* Multidimensional Geometry and its Applications

Alfred Inselberg(©1992, 2004)

Senior Fellow San Diego SuperComputing Center, CA, USA

Computer Science and Applied Mathematics Departments

Tel Aviv University , Israel

[aiisreal@post.tau.ac.il](mailto:aiisreal@post.tau.ac.il)

&

Multidimensional Graphs Ltd


Raanana 43556, Israel

All text and images are COPYRIGHT ©by Alfred Inselberg

Maybe reproduced only by written permission

# VISUALIZATION

Insight through Images



Collection of application dependent Mappings :

*Problem Domain*  $\longrightarrow$  *Visual Range*

Involves : *GEOMETRY* , *COGNITION* , *ART* ?

Goal : Visual Model to help our *Intuition*




Figure 1: Cholera epidemic in London 1854. Dr. Snow placed dots at the addresses of the deceased and saw the concentration of deaths around the Broad street water pump. From E.W.Gilbert, *Geog. J.* 124 ] (1958) – By permission from E.R.Tufte “The Visual Display of Quantitative Information”, Graphic Press 1983 p. 24




Figure 2: Multivariate data mapped to faces; each parameter corresponds and is measured on a facial feature. H. Chernoff, JASA 68 (1973)




Figure 3: Parallel Coordinates – example for 5D.




Figure 4: Portion of Slovenia where the satellite measurements shown in the subsequent figures were made.




Figure 5: Position where the 7-tuple shown in the next figure is measured.






Figure 6: Landsat satellite measurements: intensity of reflected electromagnetic wavelengths except in band 6 ( $B6$ ), which is the intensity of emitted thermal IR from objects. Courtesy of EURIMAGE with special thanks to Dr. Ana Tretjak and Dr. Niko Niko Schlamberger – Directorate Statistical Office of Slovenia. Query on Parallax showing a single data item as a polygonal line: the XY position (also shown in previous figure) and the values of the 7-tuple ( $B1, B2, B3, B4, B5, B6, B7$ ) at that location.





Figure 7: Result of query (next figure) finding the water regions – compare with the map in Fig. 4.




Figure 8: Finding water regions. Notice the unusual pattern in the lower values of  $B_4$ .




Figure 9: Finding depth variations in the water and showing the edges of water regions (shallow water) – Query in next figure.




Figure 10: Query finding shallow water regions.






Figure 11: Results of query (next figure) showing the green regions (vegetation and forests) – compare with the map Fig. 4.




Figure 12: Query showing the green regions of Slovenia.